

AMENDMENT TO OPSS 920, NOVEMBER 2016

Special Provision No. 109S29

March 2018

920.03 DEFINITIONS

Section 920.03 of OPSS 920 is amended by the deletion of the definitions for Certificate of Conformance and Quality Verification Engineer.

920.04 DESIGN AND SUBMISSION REQUIREMENTS

920.04.01.05 Interim Inspection after the Fabrication of Expansion Joints

Clause 920.04.01.05 of OPSS 920 is deleted in its entirety and replaced with the following:

920.04.01.05 Inspection after the Fabrication of Expansion Joints

Upon completion of fabrication and prior to delivery, an inspection by the Contractor's Engineer shall be conducted to verify that the fabrication of the expansion joint has been carried out according to the requirements of the Contract Documents for the deck joint assembly.

A Manufacturer's Certificate of Conformance and a Request to Proceed shall be submitted to the Contract Administrator upon completion of the fabrication of the expansion joint and prior to shipping from the plant.

The expansion joint shall not be delivered from the plant until the Contract Administrator has received the Manufacturer's Certificate of Conformance, Request to Proceed, and issued a Notice to Proceed.

920.07 CONSTRUCTION

920.07.10.01 Preformed Seal

Clause 920.07.10.01 of OPSS 920 is amended by deleting the fourth paragraph.

920.07.10.02 Concrete Compressive Strength, Air Void System and Rapid Chloride Permeability

Clause 920.07.10.02 of OPSS 920 is amended by deleting the first sentence and replacing it with the following:

The Contractor shall cast, cure and transport acceptance cylinders for compressive strength; and cast and cure cylinders for air void system and rapid chloride permeability cylinders for testing by the Owner according to the Materials Sampling and Testing subsection of OPSS 1350 with the following exceptions and additions:

920.07.12 Certificate of Conformance upon Completion of the Work

Subsection 920.07.12 of OPSS 920 is deleted in its entirety and replaced with the following:

920.07.12

Inspection after Installation of the Expansion Joints

A Request to Proceed shall be submitted to the Contract Administrator after the installation of the expansion joint.

The next operation shall not proceed until a Notice to Proceed has been received from the Contract Administrator.